

ALTURA TOTAL MEDIA (m) POR ESPECIES, FORMA DE CUBICACIÓN Y CLASE DIAMÉTRICA

BIZKAIA

Chamaecyparis lawsoniana

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		10.03	6.63				7.60
15		10.25	7.48				9.67
20		12.13					12.13
25		14.65					14.65
30		16.63					16.63
35		18.86					18.86
40		19.23					19.23
45		20.51					20.51
50		21.44					21.44
55		20.01					20.01
60		20.67					20.67

Pinus sylvestris

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
20		10.50					10.50
25		11.33					11.33
30		12.68					12.68
35		14.17					14.17
45		16.10					16.10

Pinus nigra

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			5.61				5.61
15		8.84	6.96				8.34
20		9.44					9.44
25		12.38					12.38
30		15.70					15.70
35		18.57					18.57
40		19.02					19.02
45		21.92					21.92
55		32.70					32.70

Pinus pinaster

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		9.13	6.06				6.57
15		10.25	6.59				9.88
20		11.75					11.75
25		14.76					14.76
30		17.07					17.07
35		19.85					19.85
40		20.97					20.97
45	25.42	23.15					23.24
50		23.98					23.98
55		24.73					24.73
60		23.33					23.33

Pinus radiata

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		10.40	7.08		6.29		7.73
15		12.13	8.24		7.51		11.67
20		15.14			8.10		15.12
25		18.02			13.86		18.01
30		20.63					20.63
35	28.95	23.57					23.60
40	29.70	25.87					25.89
45	30.75	27.63					27.70
50	32.63	29.02					29.23
55	34.50	30.76					31.16
60	35.38	31.52					32.09
65	35.88	32.86					33.41
70	36.09	34.16					34.50

Pseudotsuga menziesii

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			7.09				7.09
15		11.28	7.72				10.99
20		14.43					14.43
25		16.08					16.08

Larix spp.

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
25		20.57					20.57
30		23.65					23.65
35		24.53					24.53
40		25.59					25.59
45		26.01					26.01

Quercus robur

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			7.80		6.07		7.16
15		12.14	8.01		8.11		10.80
20		13.87			9.03		13.09
25		15.48		12.18	11.04		14.82
30		17.26		12.78	13.30		16.68
35		17.54		13.72	14.56		16.71
40		18.78		13.64	11.62		17.57
45		20.63		13.66	14.39		18.98
50		21.26		15.57			20.17
55		21.22		17.57			20.43
60		21.55		18.94			20.95
65		21.66		19.53			20.98
70		27.51		19.84			24.34

Quercus pyrenaica

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10					5.31		5.31
15		10.36	7.18		7.73		8.56
20		11.06					11.06
25		13.93					13.93
30		14.64					14.64

Quercus faginea

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			6.71				6.71
15		9.62			6.88		8.75
20		10.64					10.64
25		11.54					11.54
30		13.32					13.32
50		18.30					18.30

Quercus ilex

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			7.41		5.95		6.22
15		8.93	7.75		7.97		8.15
20		10.73		9.94	9.36		9.71
25		11.19		10.79	9.91		10.63
30		13.11		11.22	10.12		11.39
35				11.08	12.20		11.43
40				13.21			13.21
45				10.69			10.69
55				13.20			13.20

Bosques de ribera

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		11.18	9.91		6.99		8.34
15		12.29	9.57		10.07		10.69
20		14.47			10.66		12.36
25		17.54			11.05		13.21
30					12.14		12.14

Alnus glutinosa

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		14.98	10.99				12.77
15		14.84			9.50		14.57
20		17.18					17.18
25		18.20					18.20
30		20.19					20.19
35		20.52					20.52
45		25.28					25.28

Eucalyptus globulus

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		14.54	11.33		9.28		12.74
15		16.84	8.70		13.50		16.75
20		20.59					20.59
25		23.50					23.50
30		26.63					26.63
35		26.81					26.81
40		30.22					30.22
45		31.38					31.38
50		32.92					32.92
55		36.45					36.45
60		36.94					36.94

Eucalyptus nitens

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		14.17	10.85				12.36
15		17.18					17.18
20		20.48					20.48
25		23.44					23.44
30		22.88					22.88
35		23.17					23.17
45		24.56					24.56
50		22.83					22.83

Arbutus unedo

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			6.52		5.51		5.70
15		11.37	7.09		6.70		7.28
20		11.17			7.18		7.98
25					7.09		7.09

Fagus sylvatica

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		11.79	7.98		6.48		8.42
15		11.44	9.38		8.33		10.64
20		14.75			8.43		12.38
25		16.94			12.85		16.50
30		18.52			10.85		17.41
35		19.12					19.12
40		22.47					22.47
45		23.81		20.79			23.35
50		25.03		22.21	16.96		23.87
55		23.32		21.45			22.27
60		25.67		22.08		24.84	24.04
65				20.60		20.60	20.60
70		26.84		22.81		24.19	23.96

Castanea sativa

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		11.94	7.98		6.13		7.99
15		11.09	8.25		8.07		10.22
20		13.49			10.84		12.77
25		14.37			12.13		13.86
30		15.35			12.46		15.02
35		18.43					18.43
40		16.95					16.95
45		18.46					18.46
70						9.17	9.17

Betula spp.

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		10.43	8.07		7.60		8.26
15		12.17	9.30		10.12		11.34
20		14.36			11.10		13.68
25		15.66					15.66
30		16.02					16.02

Corylus avellana

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			8.23		7.66		7.83
15		11.96	9.32		9.53		9.87
20					12.64		12.64

Robinia pseudoacacia

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		12.68	9.85				11.15
15		15.32			11.40		14.95
20		18.36			16.42		18.09
25		19.54					19.54
30		20.11					20.11
35		22.02					22.02
40		23.74					23.74
45		27.36					27.36
50		23.63					23.63
55		25.79					25.79

Fraxinus excelsior

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		14.06	10.27				11.33
15		14.64					14.64
20		18.05					18.05
25		17.86					17.86
30		19.66					19.66
35		21.83					21.83
40		22.21					22.21
45		24.27					24.27
55		20.25					20.25

Otras frondosas

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10			9.39		7.72		8.83
15		13.53			8.23		11.23
20		13.05			8.12		11.31
25		16.44			9.29		11.84
35		15.47					15.47

Todas las coníferas

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		10.26	6.88		5.92		7.49
15		11.78	7.96		7.24		11.30
20		14.50	6.48		7.44		14.44
25		17.43			12.11		17.41
30		19.95			9.10		19.93
35	28.95	22.81					22.83
40	27.83	24.98					25.00
45	30.11	26.96					27.03
50	32.60	28.55					28.78
55	34.41	30.48					30.89
60	35.35	31.18					31.77
65	35.62	32.60					33.17
70	36.09	34.13					34.47

Todas las frondosas

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		13.91	9.57		6.56		9.67
15		15.09	8.32		8.58		13.35
20		17.94		9.93	9.67		16.25
25		19.70		11.04	10.95		18.48
30		20.71		12.00	11.46		19.41
35		20.86		12.91	13.36		19.49
40		23.05		14.49	12.19		21.36
45		24.00		14.49	13.59		21.98
50		23.97		16.45	18.28		22.44
55		23.16		18.41			21.71
60		26.04		19.74	15.01	20.84	22.83
65		22.45		19.28		17.44	20.69
70		27.34		22.18	14.91	20.70	22.60

Todas las especies

C.D.	Forma de cubicación						
	1	2	3	4	5	6	Todas
10		12.65	8.15		6.53		8.80
15		13.30	8.06		8.55		12.33
20		15.65	6.48	9.93	9.58		15.14
25		18.00		11.04	11.02		17.71
30		20.11		12.00	11.24		19.81
35	28.95	22.57		12.91	13.36		22.35
40	27.83	24.75		14.49	12.19		24.50
45	30.11	26.71		14.49	13.59		26.51
50	32.60	28.07		16.45	18.28		27.99
55	34.41	29.86		18.41			29.92
60	35.35	30.71		19.74	15.01	20.84	30.55
65	35.62	30.73		19.28		17.44	29.95
70	36.09	32.77		22.18	14.91	20.70	29.29